

Haier

Quartz Plus Heating and Cooling Wall-Mounted Split System



WWW.HRV.CO.NZ | 0800 478 123





Our Brand

Empowering smarter, happier, and healthier living, Haier leads with smart technologies across a range of home appliances. Haier is the number one brand of connected air conditioner (including smart air conditioner) and the number one brand of healthy Self-Clean air conditioner in the world, measured in terms of retail sales volume in 2023.*



Award Winning
#1 SMART AIR
CONDITIONING BRAND
IN THE WORLD*



Global Scale
OPERATING IN
160 COUNTRIES



Innovation + Quality
10 R&D CENTRES
GLOBALLY



Service + Support
NATIONWIDE
SUPPORT

Heating and cooling expertise

As one of the world's largest heating and cooling brands, Haier, founded in China in 1984, offers a comprehensive range of industrial, commercial, and residential air conditioning and water heating products. These are trusted in homes and businesses across the globe.

In Australasia, Haier's strength is complemented by Fisher & Paykel, a trusted brand that is now part of the Haier Group. Together, they leverage Haier's global reach and Fisher & Paykel's local service network to provide industry-leading products and support to our customers in Australia and New Zealand.

5 year warranty

Enjoy peace of mind with a 5 year manufacturer's warranty.

* Data source: Euromonitor International Ltd., measured in terms of retail sales volume in 2023, based on research completed by February 2024. Connected air conditioner is defined as air conditioners with connectivity capability to communicate with other appliances and/or other devices and/or consumers.

Key Features Quartz Plus

2.5, 3.5, 5.0, 6.0, 7.1, 8.0kW



More efficient heating

Quartz Plus is our most efficient model in terms of heating performance, meeting the requirements of many rebate and energy efficiency schemes.

Inhibits airborne germs

Health mode uses UV Protect sterilisation – ultraviolet LED technology used in hospital surface disinfection – to help inhibit airborne bacteria and viruses. The built-in LED UV lights have been shown to inhibit airborne bacteria and viruses at more than 91% effectiveness under specific test conditions.*

Design beyond the surface

Unobtrusive, stylish design is coupled with innovative design features under the hood. A premium back-lit remote makes operation a breeze. Our hydrophilic Blue Fin coating helps to protect the outdoor unit from corrosion while Self-Clean on both indoor and outdoor units helps keep the heat exchanger clean.

Intelligent airflow

Highly engineered airflow to automatically direct warm or cool air for ideal air circulation, air throw of up to 20m and Turbo Cool for fast cooling relief, all designed to create consistent comfort.

Wi-Fi

We believe in integrating smart technology into the heart of every home. The SmartHQ™ app puts control in your hands and means you can control your heat pump from anywhere at anytime. Our products are also compatible with Google Home and Amazon Alexa.

Tailored comfort



'I Feel' mode has been designed to provide personalised comfort. The remote control has a built-in temperature sensor; when you have the remote close at hand and activate the 'I Feel' mode, the air conditioner tailors the room's temperature to where you are.

* Independent testing has found 91.47% elimination of the H3N2 virus in a 30m² closed room and 92.78% of Staphylococcus aureus bacteria in a 10m³ closed room, for two hours on Health mode at the highest fan speed.

Efficient Design

A combination of 3D Air Flow, Intelligent Air, Coanda Plus Airflow and Turbo Cooling technologies work to deliver air around your space in a more intuitive way to warm or cool your space more quickly.

ENERGY SAVING: ECO MODE



Energy efficiency

Our most energy efficient wall-mounted system for heating.* Energy efficient innovations on all models including the DC inverter and Eco mode help to reduce how much power you use to heat or cool your home compared to models that don't have these features.

Eco mode

Designed to save energy while maintaining a comfortable room temperature. In Eco mode, the heat pump adjusts its cooling or heating power to consume less electricity by running the compressor and fan at lower speeds or by cycling them on and off more frequently.

Intelligent Air

Intelligent Air directs cold air upwards and warm air downwards, for effective heating or cooling. Cool air is directed towards the ceiling avoiding a drafty chill on your neck from the cold airflow. The cool air then diffuses from the ceiling to the floor for total comfort.

3D Airflow

For even comfort, our 3D Airflow means the airflow swings horizontally and vertically, evenly distributing the air throughout the space, even in large rooms. Say goodbye to cold corners with more consistent temperatures.

Coanda Plus

In our 2.5-7kW models, Coanda Plus airflow utilises technology from aircraft design, so that air flows further and faster to every corner of the room, giving you a more even and comfortable space.

Far-reaching air flow

With innovative fan and motor technology, air from your Quartz reaches long distances – as much as 20 metres with the 7kW model.

The Turbo program boosts the fan to work at a higher speed, bringing you a cool room in a shorter time.

Connected

The global No. 1 connected air conditioner brand*, Haier makes life easier with convenient control of your Wi-Fi enabled appliances through the SmartHQ™ app.



Control from anywhere

Arrive home to comfort by remotely controlling your heat pump from anywhere.

Intuitive hands-free control

With voice control through Google Home Assistant or Amazon Alexa you can control your heat pump and ensure the perfect environment without getting off the couch. Try commands like 'Set the heat pump to 20 degrees', or 'Turn off the heat pump'.

Control and monitor

Control temperature, operating mode and fan speed, all from your SmartHQ™ app. Check if you remembered to turn the heat pump off, or set up a schedule to heat or cool your room to the perfect temperature.

Connected living


With Haier and Fisher & Paykel appliances able to be connected to the SmartHQ™ app, you can check in and manage all your other connected appliances, as well as control your heat pump.

Healthy Air

Focusing on air quality, Haier has developed a range of technologies that help to keep your heat pump clean, functioning efficiently, and putting out fresh, clean air into your home.

UV Protect

UV Protect helps to deliver clean air to your room using Health mode, with built-in LED UV lights that kill airborne Staphylococcus aureus bacteria and the H3N2 virus at more than 91% effectiveness under specific test conditions.**



Antibacterial technology

An internal coating of silver nanoparticles can inhibit bacterial growth on the surfaces of the indoor unit.

Cleaner indoor air

The Self-Clean function rapidly removes unwanted dirt, mould, and dust. Self-Clean technology helps ensure clean airflow from your heat pump.

Self-Clean on outdoor unit

In addition to the self-cleaning technology within the indoor unit, Quartz Plus has a Self-Clean function for the outdoor unit, helping avoid corrosion. By activating freeze-and-defrost Cold Expansion technology, which loosens, then flushes, salt and dirt away from the outdoor coil, you keep your outdoor unit cleaner, effortlessly.

*Data source: Euromonitor International Ltd., measured in terms of retail sales volume in 2023, based on research completed by February 2024. Connected air conditioner is defined as air conditioners with connectivity capability to communicate with other appliances and/or other devices and/or consumers.

**Independent testing has found 91.47% elimination of the H3N2 virus in a 30m² closed room and 92.78% of Staphylococcus aureus bacteria in a 10m² closed room, for two hours on Health mode at the highest fan speed.

Specifications

Indoor units

Model AS25QCFHRA (2.5kW)
 Model AS35QCFHRA (3.5kW)
 Model AS50QDFHRA (5.0kW)
 Model AS60QEEHRA (6.0kW)
 Model AS71QEFHRA (7.1kW)



Model AS80QFFHRA (8.0kW)



Outdoor units

Model 1U25MAFFRA (2.5kW)
 Model 1U35MAFFRA (3.5kW)



Model 1U50WAFFRA (5.0kW)
 Model 1U60KAFFRA (6.0kW)
 Model 1U71WAFFRA (7.1kW)



Model 1U80QAFFRA (8.0kW)



Controller

Model YR-HJ



- Back-lit, easy to read screen
- Simple button design
- Precise temperature control

Model	Set	AS25QCFHRA-SET	AS35QCFHRA-SET	AS50QDFHRA-SET	AS60QEEHRA-SET	AS71QEFHRA-SET	AS80QFFHRA-SET
	Indoor	AS25QCFHRA	AS35QCFHRA	AS50QDFHRA	AS60QEEHRA	AS71QEFHRA	AS80QFFHRA
	Outdoor	1U25MAFFRA	1U35MAFFRA	1U50WAFFRA	1U60KAFFRA	1U71WAFFRA	1U80QAFFRA
Capacity (kW) Rated (min-max)	Cooling	2.5 (0.9-3.2)	3.5 (1.2-4.0)	5.0 (1.4-5.6)	6.0 (1.6-6.7)	7.1 (1.8-7.6)	8.0 (2.2-8.8)
	Heating (H1)	3.2 (0.9-3.8)	3.7 (1.3-4.2)	6.0 (1.5-6.5)	7.0 (1.8-7.5)	8.0 (2.2-8.6)	9.0 (2.6-10.5)
	Heating (H2)	3.4	3.7	5.8	6.2	7.6	8.5
Power input (kW) Rated (min-max)	Cooling	0.49 (0.18-1.05)	0.80 (0.25-1.30)	1.16 (0.36-1.90)	1.49 (0.41-1.95)	1.92 (0.48-2.70)	2.10 (0.55-2.90)
	Heating	0.69 (0.20-1.50)	0.83 (0.26-1.70)	1.48 (0.38-2.50)	1.73 (0.44-2.50)	2.15 (0.50-3.40)	2.29 (0.58-3.65)
EER/AEER		5.10/5.03	4.38/4.33	4.31/4.28	4.03/4.01	3.70/3.68	3.81/3.79
COP/ACOP		4.64/4.59	4.46/4.42	4.05/4.03	4.05/4.13	3.72/3.70	3.93/3.92
Star Rating (Hot/Avg/Cold)	Cooling	7.0/6.0/6.0	5.0/4.5/4.5	4.5/4.0/4.0	4.5/4.0/4.5	4.5/4.0/4.0	3.5/3.5/3.5
	Heating	4.0/3.5/3.0	3.5/3.0/2.5	3.5/3.0/2.5	3.0/2.5/2.0	3.0/2.5/2.0	3.5/3.0/2.0
TCSPF (Hot/Avg/Cold)	Residential	8.606/7.643/7.731	6.620/6.073/6.329	6.080/5.654/5.870	6.369/5.849/6.136	6.065/5.553/5.878	5.367/5.084/5.341
	Commercial	8.812/8.957/13.561	8.076/8.772/11.843	6.741/7.082/7.959	8.349/9.583/15.061	7.548/8.531/11.614	5.749/5.921/6.364
HSPF (Hot/Avg/Cold)	Residential	5.544/5.015/4.570	5.309/4.806/4.292	5.160/4.558/4.053	4.664/4.228/3.712	4.832/4.240/3.723	5.271/4.550/3.873
	Commercial	5.549/5.231/4.833	5.310/5.005/4.559	5.174/4.815/4.366	4.662/4.394/3.961	4.848/4.492/4.037	5.289/4.854/4.258

Electrical							
Rated load amps (RLA)	Cooling (Amp)	2.2	3.5	5.1	6.5	8.4	9.5
	Heating (Amp)	3.0	3.7	6.5	7.6	9.4	10.5
MCA max circuit amps (Amp)		7.0	7.5	11.0	13.0	15.0	16.5
Breaker size (Amp)		16	16	16	16	20	25
Suggested cable size (mm)		2.5	2.5	2.5	2.5	2.5	4.0
Power cable connection location		Outdoor					
Power supply (Ph/V/Hz)		1/220-240/50					

Refrigeration							
Refrigerant type		R32					
Refrigerant factory charge (kg)		1.00	1.02	1.02	1.30	1.42	1.62
Pipe size	Liquid line mm	6.35 (¼")					
	Suction line mm	9.52 (¾")		12.70 (½")			15.88 (¾")
Pipe length (min-max)		3-15			3-25		
Maximum height difference (m)		10			15		
Pre-charged up to a length (m)		7			10		
Additional refrigerant (grams/meter)		20					

Indoor unit							
Model		AS25QCFHRA	AS35QCFHRA	AS50QDFHRA	AS60QEEHRA	AS71QEFHRA	AS80QFFHRA
External dimension – H/W/D (mm)		307x875x217	307x875x217	320x970x220	345x1106x240	345x1106x240	365x1316x275
Net weight (kg)		10.0	10.0	11.6	15.5	15.5	21
Air flow T/H/M/L	Cooling (L/S)	240/195/145/105	260/210/165/115	310/265/215/170	345/295/252/210	365/310/270/225	380/335/285/230
Sound pressure level – SPL (H-L)		39-19	40-21	42-25	46-27	46-27	48-30
Remote		YR-HJ					

Outdoor unit							
Model		1U25MAFFRA	1U35MAFFRA	1U50WAFFRA	1U60KAFFRA	1U71WAFFRA	1U80QAFFRA
Net dimension – H/W/D (mm)		553x800x275	553x800x275	705x890x340	642x816x306	705x890x340	815x950x370
Net weight (kg)		30.0	30.0	43.2	37.5	44	52
Compressor type		Rotary					
Sound pressure level (dBA)		51	52	53	54	54	57
Sound power level (dBA)		61	63	65	67	69	70

Outdoor operating temperature range							
Outdoor (min-max)	Cooling	-10°C ~ 46°C					
Outdoor (min-max)	Heating	-15°C ~ +24°C					

Notes: ZERL Zoned Energy Rating Label – residential air conditioning star rating based on GEMS 2019 Determination. Rated Load Amps (RLA) is based on nominal conditions. Use Minimum Circuit Amps (MCA) for power supply infrastructure sizing, etc. Test conditions are based on AS/NZS3823.1.1.

How HRV makes it easy and affordable



Choosing, buying and owning an HRV product should be a breeze – so we've worked hard to make sure it is!

For a drier, warmer, healthier home

PROFESSIONAL INSTALLATION

Your HRV installation team is trained to give you a smooth installation experience and a tidy finished result.

EXPERT SERVICING

Your HRV product is designed to give you many years of trouble-free operation. Regular servicing is key to that, so we stand by and service everything we sell.



REFER A FRIEND

Refer a new customer to HRV and get \$200 cash! Plus your friend will get a \$200 discount!*

*Terms and conditions apply. Eligible on a HRV ventilation system, ducted heat pump or a HRV hot water heat pump purchase.

CUSTOMER CARE ON CALL

Just call 0800 478 123 to connect with one of our super-friendly, experienced team. They love to help!

GET PEACE OF MIND WITH HRV

We take your trust seriously. So, everything we sell and install at HRV is backed by a comprehensive warranty (5 years for our HRV ventilation systems and accessories). If anything goes wrong during the warranty period, get in touch and we'll take care of it. Visit hrv.co.nz/warranty for more information.

PAYMENT OPTIONS AVAILABLE

HRV offer payment options with Q Card and Gem Interest Free to transform your home health. Visit hrv.co.nz/finance to find out more.



YOUR IN-HOME EXPERT

NAME

PHONE



[HRV.CO.NZ](http://hrv.co.nz)

0800 478 123